

Contents

Letters to the Editor

- The new binary millisecond pulsar PSR 0021-72 A: a laboratory for gravitational physics
Wijers, R.A.M.J. L1
- Anisotropic neutrino emission from rotating protoneutron stars
Janka, H.-T., Mönchmeyer, R. L5

Cosmology

- The two-point correlation functions of galaxies with different luminosities
Boerner, G., Deng, Z.-G., Xia, X.-Y. 1

Extragalactic astronomy

- Dust grains in M 104: an interpretation of the optical polarization in an external galaxy
Matsumura, M., Seki, M. 8
- Intrinsic versus observed properties in near large spherical structures
Rdz Jordana, J.J., Salvador-Solé, E., Solanes, J.M. 15
- Reduction of the Oort limit and the dark matter contribution to it
Boulares, A. 21
- The evolution of the Eddington ratio for active galactic nuclei
Padovani, P. 27

Galactic structure and dynamics

- Galactic rotation curve in the range $0.4 < R/R_0 < 1$ from neutral hydrogen 21 cm line profiles and the graphic variant of the Agekyan et al. method
Teerikorpi, P. 46
- An optical spiral arm beyond the Perseus arm
Kimeswenger, S., Weinberger, R. 51

Formation, structure and evolution of stars

- Photometric analysis of RR Lyrae stars. I. The multi-periodic ST CVn
Peniche, R., Gomez, T., Parrao, L., Peña, J.H. 59
- The structure equations of contact binaries and the light curve paradox
Kähler, H. 67

- Tidally-detonated nuclear reactions in main sequence stars passing near a large black hole
Luminet, J.-P., Pichon, B. 85
- Tidal pinching of white dwarfs
Luminet, J.-P., Pichon, B. 103
- The coalescence of white dwarfs and type I supernovae
Mochkovitch, R., Livio, M. 111
- Outflow velocities from carbon stars
Zuckerman, B., Dyck, H.M. 119
- Radiation-hydrodynamic equations for stellar oscillations
Da-run Xiong 126
- Investigation of a criterion for the evolution to red giants
Weiss, A. 135
- The Baade-Wesselink method applied to field RR Lyrae stars. II. SW Andromedae, SW Draconis, and SS Fornacis
Cacciari, C., Clementini, G., Prevot, L., Buser, R. 141
- The Baade-Wesselink method applied to field RR Lyrae stars. III. YZ Capricorni, RV Phoenicis, and V440 Sagittarii
Cacciari, C., Clementini, G., Buser, R. 154
- IRAS Low Resolution Spectrograph spectral class and M and S Miras
Vardya, M.S. 165
- Extended optical spectroscopy of the massive companion of 4U 1907+09
van Kerkwijk, M.H., van Oijen, J.G.J., van den Heuvel, E.P.J. 173
- "Mixed" mass transfer- and disk-instability models for dwarf nova eruptions
Duschl, W.J., Livio, M. 183

Stellar atmospheres

- A model for a stellar wind driven by linear acoustic waves
Pijpers, F.P., Hearn, A.G. 198
- The chemical composition of the extreme halo stars. I. Blue spectra of 20 dwarfs
Magain, P. 211
- Broadening of iron resonance lines in X-ray burst spectra
Madej, J. 226
- "Normal" main sequence A0 stars of low rotational velocity
Ramella, M., Gerbaldi, M., Faraggiana, R., Böhm, C. 233

Non-LTE line formation in early B and late O stars. IV. Singly ionized nitrogen <i>Becker, S.R., Butler, K.</i>	244	Properties of planetary nebulae. II. Central star evolution <i>Gathier, R., Pottasch, S.R.</i>	369
New aspects of the variability of the probable pre-main sequence star HR 5999 <i>Baade, D., Stahl, O.</i>	255	C_3H_2 observations in dense dark clouds <i>Cox, P., Walmsley, C.M., Güsten, R.</i>	382
Rapid line profile-variability of the A-type shell- and possible pre-main sequence star HD 163296 <i>Baade, D., Stahl, O.</i>	268	The Sun	
Chromospheric lines in red dwarf flare stars. III <i>Pettersen, B.R.</i>	279	Lifetimes and transition probabilities in V II and the solar abundance of vanadium <i>Biémont, E., Grevesse, N., Faires, L.M., Marsden, G., Lawler, J.E., Whaling, W.</i>	391
A combined radio and X-ray observation of Algol <i>van den Oord, G.H.J., Kuijpers, J., White, N.E., van der Hulst, J.M., Culhane, J.L.</i>	296	Overstability of magnetic flux tubes in the Eddington approximation <i>Massaglia, S., Bodo, G., Rossi, P.</i>	399
Time-dependent effects of acoustic wave heating and molecular cooling in the outer atmosphere of Arcturus <i>Cuntz, M., Muchmore, D.</i>	305	The solar system	
Diffuse matter in space (including H II regions and planetary nebulae)		A numerical model for a cosmic ray modulation barrier in the outer heliosphere <i>Potgieter, M.S., Le Roux, J.A.</i>	406
The role of refractive interstellar scintillation in the low frequency variability of extragalactic radio sources <i>Spangler, S., Fanti, R., Gregorini, L., Padrielli, L.</i>	315	Models of evolutionary tracks of planetary satellites <i>Horedt, G.P.</i>	411
Effect of diverging magnetic fields on mass loss in late-type giant stars <i>Jatenco-Pereira, V., Opher, R.</i>	327	Celestial mechanics and astrometry	
Continuum observations of Sgr A at mm/submm wavelengths <i>Mezger, P.G., Zylka, R., Salter, C.J., Wink, J.E., Chini, R., Kreysa, E., Tuffs, R.</i>	337	Accurate position for the globular cluster X-ray source M15: AC211/X2127+119 <i>Geffert, M., Aurière, M., Illovaisky, S.A., Terzan, A.</i>	423
Large-scale behaviour of dust grains in a galactic environment <i>Barsella, B., Ferrini, F., Greenberg, J.M., Aiello, S.</i>	349	Physical and chemical processes	
A study of the composite supernova remnant G 18.95-1.1 <i>Fürst, E., Hummel, E., Reich, W., Sofue, Y., Sieber, W., Reif, K., Dettmar, R.-J.</i>	361	The stability of isotropic distribution functions of relativistic electrons. II. Oblique propagating Langmuir waves in an electron-proton plasma <i>Lesch, H., Crusius, A., Schlickeiser, R.</i>	427
		Instruments, data processing, and computational methods	
		The segmented Prony method for the analysis of non-stationary time series <i>Barone, P., Massaro, E., Polichetti, A.</i>	435

